



# CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 03/09/2021

Analysis ID No. 210586  
 TDA License No. 2020002  
 ISO/IEC No. 1055838  
 Customer No. 20210165  
 Page No. Page 1 of 8

CUSTOMER INFORMATION	SAMPLE INFORMATION
<b>Company Name:</b> Mediterra CBD	<b>Submitted Sample Name:</b> Mediterra Broad Spectrum 2000mg CBD Citrus Flavor, 30 mL
<b>Address:</b> 9805 Research Dr; Irvine, California 92618 USA	<b>Submitted Sample Lot:</b> 50434
<b>Phone Number:</b> 562-229-8324	<b>Submitted Sample Description:</b> Oil in Amber Glass Bottle with Dropper Cap; Stored at RT
<b>Contact Name / Email:</b> Raquel Garza / raquel.garza@mediterracbd.com	<b>Submitted Sample Product Type / Matrix:</b> Hemp Oil/Liquid

TOTAL THC ASSAY (COMPLIANCE, USDA)							
Analysis	Test Method	LOQ	Specifications	Test Results			Pass / Fail
Δ9-THC	UHPLC-DAD	0.002 w/w%	w/w%: NMT 0.300 mg/g; NMT 3.00 (Δ9-THC States Only)	<b>Replicate 1</b>	<b>Replicate 2</b>	<b>Average</b>	PASS
				0.004 w/w% 0.044 mg/g	0.004 w/w% 0.044 mg/g	0.004 w/w% 0.044 mg/g	
THCa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	<b>Replicate 1</b>	<b>Replicate 2</b>	<b>Average</b>	Results Reported
				< LOQ	< LOQ	< LOQ	
Total THC	UHPLC-DAD	0.002 w/w%	w/w%: NMT 0.300 mg/g; NMT 3.00	<b>Replicate 1</b>	<b>Replicate 2</b>	<b>Average</b>	PASS
				0.004 w/w% 0.044 mg/g	0.004 w/w% 0.044 mg/g	0.004 w/w% 0.044 mg/g	
<b>Measurement Uncertainty (MU) = 0.02% at 0.3% THC</b>				<b>Total Potential THC = (THCa x 0.877)+ (Δ9-THC)</b>			

CBD LABEL CLAIM							
Analysis	Test Method	LOQ	Specifications	Test Results			Pass / Fail
CBD	UHPLC-DAD	0.002 w/w%	mg/mL: Report Only* mg/unit: Report Only** Target: 2,0000 mg/unit	<b>Replicate 1</b>	<b>Replicate 2</b>	<b>Average</b>	Results Reported
				62.785 mg/mL 1,883.555 mg	62.482 mg/mL 1,874.470 mg	62.634 mg/mL 1,879.012 mg	
CBD	UHPLC-DAD	0.002 w/w%	% Label Claim: 90.0 to 110.0% Target: 100%	<b>Replicate 1</b>	<b>Replicate 2</b>	<b>Average</b>	PASS
				94.2%	93.7%	94.0%	
<b>*Measured Density = 0.944 g/mL **Unit= 1.0 Fl Oz = 30 mL</b>							

CANNABINOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results*	Pass / Fail
CBD	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	6.635 w/w% 66.349 mg/g	Results Reported
CBDa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
Δ9-THC	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	0.004 w/w% 0.044 mg/g	Results Reported
Δ8-THC	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
Exo-THC	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
THCa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
CBG	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	0.250 w/w% 2.498 mg/g	Results Reported
CBGa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA  
 Email: [Testing@santelabs.com](mailto:Testing@santelabs.com) - Telephone: 512-309-5830 - Website: [www.santelabs.com](http://www.santelabs.com)

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.



# CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 03/09/2021

Analysis ID No. 210586  
 TDA License No. 2020002  
 ISO/IEC No. 1055838  
 Customer No. 20210165  
 Page No. Page 2 of 8

CANNABINOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results*	Pass / Fail
CBN	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	0.247 w/w% 2.473 mg/g	Results Reported
CBNa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
CBC	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	0.229 w/w% 2.286 mg/g	Results Reported
CBCa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
CBL	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
CBDV	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	0.029 w/w% 0.288 mg/g	Results Reported
CBDVa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
THCV	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
THCVa	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
Total Cannabinoids	UHPLC-DAD	0.002 w/w%	w/w%: Report Only mg/g: Report Only	7.394 w/w% 73.940 mg/g	Results Reported

HEAVY METAL ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Lead	ICP-MS	10 ppb	NMT 1000 ppb	< LOQ	PASS
Mercury	ICP-MS	5 ppb	NMT 500 ppb	< LOQ	PASS
Cadmium	ICP-MS	10 ppb	NMT 300 ppb	< LOQ	PASS
Arsenic	ICP-MS	10 ppb	NMT 1500 ppb	< LOQ	PASS

RESIDUAL SOLVENTS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
1,1-Dichloroethene	USP <467> by GC-MS	0.4 ppm	NMT 8 ppm	< LOQ	PASS
1,1,1-Trichloroethane	USP <467> by GC-MS	75 ppm	NMT 1,500 ppm	< LOQ	PASS
1,2-Dichloroethane	USP <467> by GC-MS	0.25 ppm	NMT 5 ppm	< LOQ	PASS
Benzene	USP <467> by GC-MS	0.1 ppm	NMT 2 ppm	< LOQ	PASS
Carbon tetrachloride	USP <467> by GC-MS	0.2 ppm	NMT 4 ppm	< LOQ	PASS
1,2-dichloroethene (E,Z)	USP <467> by GC-MS	93.5 ppm	NMT 1870 ppm	< LOQ	PASS
1,2-Dimethoxyethane	USP <467> by GC-MS	5 ppm	NMT 100 ppm	< LOQ	PASS
1,2,3,4- tetrahydronaphthalene	USP <467> by GC-MS	5 ppm	NMT 100 ppm	< LOQ	PASS

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA  
 Email: [Testing@santelabs.com](mailto:Testing@santelabs.com) - Telephone: 512-309-5830 - Website: [www.santelabs.com](http://www.santelabs.com)

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.



# CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 03/09/2021

Analysis ID No. 210586  
 TDA License No. 2020002  
 ISO/IEC No. 1055838  
 Customer No. 20210165  
 Page No. Page 3 of 8

1,4-Dioxane	USP <467> by GC-MS	19 ppm	NMT 380 ppm	< LOQ	PASS
2-Hexanone	USP <467> by GC-MS	2.5 ppm	NMT 50 ppm	< LOQ	PASS
4-methyl-2-pentanone	USP <467> by GC-MS	225 ppm	NMT 4,500 ppm	< LOQ	PASS
Acetonitrile	USP <467> by GC-MS	20.5 ppm	NMT 410 ppm	< LOQ	PASS
Chlorobenzene	USP <467> by GC-MS	18 ppm	NMT 360 ppm	< LOQ	PASS
Chloroform	USP <467> by GC-MS	3 ppm	NMT 60 ppm	< LOQ	PASS
Cumene	USP <467> by GC-MS	3.5 ppm	NMT 70 ppm	< LOQ	PASS
Cyclohexane	USP <467> by GC-MS	194 ppm	NMT 3,880 ppm	< LOQ	PASS
Dichloromethane	USP <467> by GC-MS	30 ppm	NMT 600 ppm	< LOQ	PASS
Ethylbenzene	USP <467> by GC-MS	108.5 ppm	NMT 2,170 ppm	< LOQ	PASS
Hexane, n-	USP <467> by GC-MS	14.5 ppm	NMT 290 ppm	< LOQ	PASS
Methanol	USP <467> by GC-MS	150 ppm	NMT 3,000 ppm	< LOQ	PASS
Methylcyclohexane	USP <467> by GC-MS	59 ppm	NMT 1,180 ppm	< LOQ	PASS
Nitromethane	USP <467> by GC-MS	2.5 ppm	NMT 50 ppm	< LOQ	PASS
Pyridine	USP <467> by GC-MS	10 ppm	NMT 200 ppm	< LOQ	PASS
Sulfolane	USP <467> by GC-MS	8 ppm	NMT 160 ppm	< LOQ	PASS
Tetrahydrofuran	USP <467> by GC-MS	36 ppm	NMT 720 ppm	< LOQ	PASS
Toluene	USP <467> by GC-MS	44.5 ppm	NMT 890 ppm	< LOQ	PASS
Trichloroethene	USP <467> by GC-MS	4 ppm	NMT 80 ppm	< LOQ	PASS
Xylene, m-	USP <467> by GC-MS	108.5 ppm	NMT 2,170 ppm	< LOQ	PASS
Xylene, o-	USP <467> by GC-MS	108.5 ppm	NMT 2,170 ppm	< LOQ	PASS
Xylene, p-	USP <467> by GC-MS	108.5 ppm	NMT 2,170 ppm	< LOQ	PASS
1-Butanol	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
1-Pentanol	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
1-Propanol	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
2-Butanol	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
2-Butanone	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA  
 Email: [Testing@santelabs.com](mailto:Testing@santelabs.com) - Telephone: 512-309-5830 - Website: [www.santelabs.com](http://www.santelabs.com)

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.



# CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 03/09/2021

Analysis ID No. 210586  
 TDA License No. 2020002  
 ISO/IEC No. 1055838  
 Customer No. 20210165  
 Page No. Page 4 of 8

2-methyl-1-propanol	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
2-Propanol	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
3-methyl-1-butanol	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Acetone	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Anisole	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Butyl acetate	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethanol	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethyl acetate	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethyl ether	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethyl formate	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Heptane, n-	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Isobutyl acetate	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Isopropyl acetate	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Methyl acetate	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
N,N-Dimethylsulfoxide	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Pentane, n-	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Propyl acetate	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
t-Butyl Methyl Ether	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Triethylamine	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Butane, iso-	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Butane, n-	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
Propane	USP <467> by GC-MS	250 ppm	NMT 5,000 ppm	< LOQ	PASS
1,1-Dichloroethene	USP <467> by GC-MS	0.4 ppm	NMT 8 ppm	< LOQ	PASS
1,1,1-Trichloroethane	USP <467> by GC-MS	75 ppm	NMT 1,500 ppm	< LOQ	PASS



# CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 03/09/2021

Analysis ID No. 210586  
 TDA License No. 2020002  
 ISO/IEC No. 1055838  
 Customer No. 20210165  
 Page No. Page 5 of 8

MICROBIOLOGICAL ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	10 CFU/gm	NMT 1,000 CFU/gm	< LOQ	PASS
Total Yeast & Mold (TYM)	Isolation Agar	10 CFU/gm	NMT 100 CFU/gm	< LOQ	PASS
Escherichia coli (E. coli)	Isolation Agar	1 CFU/gm	Absent	Absent	PASS
Campylobacter	Isolation Agar	1 CFU/gm	Absent	Absent	PASS
Listeria Monocytogenes	Isolation Agar	1 CFU/gm	Absent	Absent	PASS
Salmonella	Isolation Agar	1 CFU/gm	Absent	Absent	PASS
Shiga-Toxin E.coli (STEC)	Isolation Agar	1 CFU/gm	Absent	Absent	PASS
Staphylococcus aureus	Isolation Agar	1 CFU/gm	Absent	Absent	PASS
Yersinia	Isolation Agar	1 CFU/gm	Absent	Absent	PASS

TERPENES ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
$\alpha$ - Pinene	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
Camphene	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
$\beta$ - Myrcene	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
$\beta$ - Pinene	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
$\gamma$ - Carene	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
$\alpha$ - Terpinene	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	0.002 w/w% 0.019 mg/g	Results Reported
E - Ocimene	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
$\delta$ - Limonene	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
p - Cymene	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
Z - Ocimene	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
Eucalyptol	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
$\gamma$ - Terpinene	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	0.006 w/w% 0.062 mg/g	Results Reported
Terpinolene	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
Linalool	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
Isopulegol	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA  
 Email: [Testing@santelabs.com](mailto:Testing@santelabs.com) - Telephone: 512-309-5830 - Website: [www.santelabs.com](http://www.santelabs.com)

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.



# CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 03/09/2021

Analysis ID No. 210586  
 TDA License No. 2020002  
 ISO/IEC No. 1055838  
 Customer No. 20210165  
 Page No. Page 6 of 8

TERPENES ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Geraniol	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
β – Caryophyllene	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	0.060 w/w% 0.600 mg/g	Results Reported
Humulene	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	0.024 w/w% 0.244 mg/g	Results Reported
Cis – Nerolidol	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	< LOQ	Results Reported
Trans – Nerolidol	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	0.003 w/w% 0.032 mg/g	Results Reported
α – Guaiol	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	0.020 w/w% 0.201 mg/g	Results Reported
Caryophyllene Oxide	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	0.020 w/w% 0.205 mg/g	Results Reported
α - Bisabolol	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	0.042 w/w% 0.419 mg/g	Results Reported
Total Terpenes	GC-FID	0.0025 w/w%	w/w%: Report Only mg/g: Report Only	0.178 w/w% 1.782 mg/g	Results Reported

PESTICIDES ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Acetamiprid	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.200 ppm	< LOQ	PASS
Aldicarb	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.400 ppm	< LOQ	PASS
Azoxystrobin	LC-MS/MS & GC-MS/MS	0.010 ppm	NMT 0.200 ppm	< LOQ	PASS
Bifenazate	LC-MS/MS & GC-MS/MS	0.005 ppm	NMT 0.200 ppm	< LOQ	PASS
Boscalid	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.200 ppm	< LOQ	PASS
Carbaryl (Sevin)	LC-MS/MS & GC-MS/MS	0.100 ppm	NMT 0.500 ppm	< LOQ	PASS
Carbofuran	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.200 ppm	< LOQ	PASS
Chlorantranilprole	LC-MS/MS & GC-MS/MS	0.100 ppm	NMT 0.200 ppm	< LOQ	PASS
Chlorpyrifos	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.600 ppm	< LOQ	PASS
Cypermethrin	LC-MS/MS & GC-MS/MS	0.025 ppm	NMT 18.0 ppm	< LOQ	PASS
Diazinon	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 2.600 ppm	< LOQ	PASS
Dichlorvos	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.100 ppm	< LOQ	PASS
Ethoprophos (Prophos)	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.400 ppm	< LOQ	PASS
Etofenprox	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.400 ppm	< LOQ	PASS
Fipronil	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 1.000 ppm	< LOQ	PASS

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA  
 Email: [Testing@santelabs.com](mailto:Testing@santelabs.com) - Telephone: 512-309-5830 - Website: [www.santelabs.com](http://www.santelabs.com)

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.



# CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 03/09/2021

Analysis ID No. 210586  
 TDA License No. 2020002  
 ISO/IEC No. 1055838  
 Customer No. 20210165  
 Page No. Page 7 of 8

PESTICIDES ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Flonicamid	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 1.000 ppm	< LOQ	PASS
Imidacloprid	LC-MS/MS & GC-MS/MS	0.005 ppm	NMT 0.400 ppm	< LOQ	PASS
Metalaxyl	LC-MS/MS & GC-MS/MS	0.100 ppm	NMT 0.200 ppm	< LOQ	PASS
Methiocarb	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.400 ppm	< LOQ	PASS
Methomyl	LC-MS/MS & GC-MS/MS	0.200 ppm	NMT 0.400 ppm	< LOQ	PASS
Methyl parathion	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 8.500 ppm	< LOQ	PASS
Myclobutanil	LC-MS/MS & GC-MS/MS	0.005 ppm	NMT 0.300 ppm	< LOQ	PASS
Oxamyl	LC-MS/MS & GC-MS/MS	0.250 ppm	NMT 1.000 ppm	< LOQ	PASS
Permethrin (mix of isomers)	LC-MS/MS & GC-MS/MS	0.020 ppm	NMT 1.100 ppm	< LOQ	PASS
Pyridaben	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.200 ppm	< LOQ	PASS
Spiroxamine	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 2.000 ppm	< LOQ	PASS
Tebuconazole	LC-MS/MS & GC-MS/MS	0.005 ppm	NMT 0.400 ppm	< LOQ	PASS
Thiacloprid	LC-MS/MS & GC-MS/MS	0.050 ppm	NMT 0.200 ppm	< LOQ	PASS
Thiamethoxam	LC-MS/MS & GC-MS/MS	0.025 ppm	NMT 0.200 ppm	< LOQ	PASS

MYCOTOXINS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aflatoxins	LC-MS/MS	5 ppb	NMT 20 ppb (20 mcg/mL)	< LOQ	PASS
Aflatoxin B1	LC-MS/MS	5 ppb	Report Only	< LOQ	Results Reported
Aflatoxin B2	LC-MS/MS	5 ppb	Report Only	< LOQ	Results Reported
Aflatoxin G1	LC-MS/MS	5 ppb	Report Only	< LOQ	Results Reported
Aflatoxin G2	LC-MS/MS	5 ppb	Report Only	< LOQ	Results Reported
Ochratoxin A	LC-MS/MS	5 ppb	NMT 20 ppb (20 mcg/mL)	< LOQ	PASS



# CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 03/09/2021

Analysis ID No. 210586  
 TDA License No. 2020002  
 ISO/IEC No. 1055838  
 Customer No. 20210165  
 Page No. Page 8 of 8

ASPERGILLUS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Aspergillus flavus	RT-PCR	1 CFU/g	Absent	Absent	PASS
Aspergillus fumigatus	RT-PCR	1 CFU/g	Absent	Absent	PASS
Aspergillus niger	RT-PCR	1 CFU/g	Absent	Absent	PASS
Aspergillus terreus	RT-PCR	1 CFU/g	Absent	Absent	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION
<b>Santé Laboratories</b> 8201 East Riverside Drive, STE 650 Austin, Texas 78744 USA	<b>Santé Sample ID:</b> 210586 <b>Receipt Date:</b> 03/01/2021 / 01:11 PM CST / S. ORTEGA <b>Receipt Condition:</b> Good <b>Analysis Start Date:</b> 03/01/2021

ADDITIONAL REPORT NOTES
The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. <b>Specifications provided by Sponsor. *Average of duplicate preparations. Cannabinoids tested according to performance methods by AOAC SMPR 2019.003.</b> ©2020 Santé Laboratories, LLC – All Rights Reserved

VERSION HISTORY		
Version	Effective Date	Summary of Changes
00	03/09/2021	Initial Release

PRODUCT SAMPLE / IMAGE


REVIEWED AND APPROVED BY
<div style="display: flex; justify-content: space-between;"> <div style="width: 40%;"> <p>DocuSigned by:</p> <p><i>Brian Sloat</i></p> <p>1DA7685D65C740B...</p> <p><b>Brian Sloat, Ph.D.</b>            Chief Scientific Officer / Quality Manager            Santé Laboratories</p> </div> <div style="width: 30%; text-align: center;"> <p>3/9/2021</p> <p>Date</p> </div> <div style="width: 20%; text-align: right;"> <p>DD-MM-YY</p> </div> </div>